ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 74 • Numbers 1–4 • 2007

Author index

ABOLNIK, C.

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

ADEDAPO, A.A.

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMOLOYE & O.G. OHORE 31–36

APANASKEVICH, D.A.

Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma) leachi* group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

BANZE, J.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

BERKVENS, D.

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

BILLIOUW, M.

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

BOOMKER, J.

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

BOTHA, C.J.

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

BRANDT, J.R.A.

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

BRYANT, M.J.
Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

BURSEY, C.R.
A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

BUTLER, V.P. Jr
A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

CAMICAS, J-L.
Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma) leachi* group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—O.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

CAPORALE, V.
Clinical, humoral and IFN_γ responses of cattle to infection with *Mycoplasma mycoides var. mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HUBSCHLE 251–263

CARPENTER, S.
Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

CRAFFORD, J.E.
A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

DI PROVVIDO, A.
Clinical, humoral and IFN_γ responses of cattle to infection with *Mycoplasma mycoides var. mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HUBSCHLE 251–263

DIPPENAAR, SUSAN M.
New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

DOLAN, T.T.
Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Kiambu—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

DONKIN, E.F.
The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

DORNY, P.
Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

DU PLESSIS, B.
Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, M. VOSLOO, D.U. PFEIFFER, E. DAWSON & B. DU PLESSIS 67–86

DUCHATEAU, L.

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

DWARKA, R.M.

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

DYASON, E.

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

ESPIE, I.

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

FANDAMU, P.

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

FILIPPONI, G.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

FITZPATRICK, J.L.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

FRENCH, N.P.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

GERBER, L.J.

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

GOLDBERG, S.R.

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

GOLEZARDY, H.

Ticks (Acari: Ixodidae) collected from animals in three western, semi-arid nature reserves in South Africa—H. GOLEZARDY & I.G. HORAK 81–85

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

HASSAN, S.M.

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

HAYASHIDA, K.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

HORAK, I.G.

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 49–72

Ticks (Acari: Ixodidae) collected from animals in three western, semi-arid nature reserves in South Africa—H. GOLEZARDY & I.G. HORAK 91–95

Redescription of Haemaphysalis (Rhipistoma) elliptica (Koch, 1844), *an old taxon of the Haemaphysalis (Rhipistoma) leachi group from East and southern Africa, and of Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

HUBSCHLE, O.J.B.

Clinical, humoral and IFN_γ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TIPURA ZAIRE, A. DI PROVVIDO, A. SHIRINGWANE, F. NDHIPANDA, A. PINI, V. CAPORALE & O.J.B. HUBSCHLE 251–263

HUTCHINSON, G.W.

The prevalence, organ distribution and fertility of cystic echinococcosis in feral pigs in tropical North Queensland, Australia—D. LEDETU & G.W. HUTCHINSON 73–79

INOUE, N.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

JORDAAN, BEA P.

New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

JUNKER, K.

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

KAGIRA, J.M.

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

KAMBARAGE, D.M.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

KARIMURIBO, E.D.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

KARZIS, J.

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

KUBI, C.

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

LABUSCHAGNE, K.

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

LABUSCHAGNE, L.

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

LELLI, R.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

LIDETU, D.

The prevalence, organ distribution and fertility of cystic echinococcosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

LOPES DA SILVA, M.M.R.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

LOPES PEREIRA, C.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

LUCIANI, M.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

MADEKUROZWA, M-C.

Ultrastructural features of the uterus in the sexually immature ostrich *(Struthio camelus)* during periods of ovarian inactivity and activity—M-C. MADEKUROZWA 209–216

MAINA, N.

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

MARCOTTY, T.

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

MBAO, V.

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

MEISWINKEL, R.

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

MOHAMMED, M.S.

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

MONRAD, J.

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

MUKARATIRWA, S.

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the high-veld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

NDIPANDA, F.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

NEVILL, E.M.

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

NEVILL, HILDA

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

NHAMUSSO, A.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

NYANGIWE, N.

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

OGDEN, N.H.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

OHORE, O.G.

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMO-LOYE & O.G. OHORE 31–36

OLWOCH, J.M.

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

OMOLO, J.D.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

OMOLOYE, O.A.

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMO-LOYE & O.G. OHORE 31–36

PENRITH, M-L.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

PETZER, I.M.

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

PFEIFFER, D.U.

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

PFUKENYI, D.M.

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

PINI, A.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

QUEMBO, C.

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

SACCHINI, F.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

SAHLE, M.

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

SCACCHIA, M.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

SCHOLTZ, C.H.

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

SHININGWANE, A.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

SPEYBROECK, N.

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

SPICKETT, A.M.

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

STEVENS, K.B.

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

STOJANOVIC, M.N.

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

SUGIMOTO, C.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

SWAI, E.S.

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

THEKISOE, O.M.M.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

TJIPURA-ZAIRE, G.

Clinical, humoral and IFN$_\gamma$ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

UYS, A.C.

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

VAN DEN BOSSCHE, P.

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

VAN JAARSVELD, A.S.

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

VENTER, E.H.

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

VENTER, G.J.

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

VOSLOO, W.

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

WILLINGHAM, A.L.

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

ZHANG, J.

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 74 • Numbers 1–4 • 2007

Subject index

Abrus precatorius

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMOLOYE & O.G. OHORE 31–36

Acanthocephalans

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Acari: Ixodidae

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

Africa

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma) leachi* group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

African horse sickness (AHS)

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

African swine fever (ASF)

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

Amblyomma hebraeum

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

Anaemia

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

Anaplasmosis

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Australia

The prevalence, organ distribution and fertility of cystic echinoccosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

Avian influenza virus

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

Babesiosis

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Bluetongue (BT)

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

Bovine theileriosis

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

Buffaloes

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

California Milk Cell Test

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Cardiac glycoside poisoning

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

Cattle

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

Clinical, humoral and IFNγ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

Ceratopogonidae

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

Cestodes

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Coccidia

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

Contagious bovine pleuropneumonia (CBPP)

Clinical, humoral and IFNγ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

Copepoda/copepods

New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

Cotyledoside

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

Cows

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Cryptosporidium

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

Culicoides

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

Cystic echinoccosis

The prevalence, organ distribution and fertility of cystic echinoccosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

Dairy animals

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

Diptera

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

Duck

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

Echinococcus granulosus

The prevalence, organ distribution and fertility of cystic echinoccosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

Eland

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Elasmobranchs

New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

Feral pigs

The prevalence, organ distribution and fertility of cystic echinoccosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

Foot-and-mouth disease (FMD)

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Study of the genetic heterogeneity of SAT-2 foot-and-mouth disease virus in sub-Saharan Africa with specific focus on East Africa—M. SAHLE, R.M. DWARKA, E.H. VENTER & W. VOSLOO 289–299

Giraffa camelopardalis

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Glossina morsitans morsitans

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

Goats

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

Guineafowls

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Guttera edouardi

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

Haemaphysalis (Rhipistoma) elliptica

Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma)*

leachi group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

Haemaphysalis (Rhipistoma) leachi

Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma) leachi* group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

Haematology

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMOLOYE & O.G. OHORE 31–36

Helminths

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Histology

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMOLOYE & O.G. OHORE 31–36

Immunization

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Intramammary antibiotics

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and somatic cell counts—J. KARZIS, E.F. DONKIN & I.M. PETZER 161–167

Intramammary antibiotics in dairy goats: Withdrawal periods of three intramammary antibiotics compared to recommended withdrawal periods for cows—J. KARZIS, E.F. DONKIN & I.M. PETZER 217–222

Intramammary antibiotics in dairy goats: Effect of stage of lactation, parity and milk volume on withdrawal periods, and the effect of treatment on milk compositional quality—J. KARZIS, E.F. DONKIN & I.M. PETZER 243–249

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

Ixodida, Ixodidae

Redescription of *Haemaphysalis (Rhipistoma) elliptica* (Koch, 1844), an old taxon of the *Haemaphysalis (Rhipistoma) leachi* group from East and southern Africa, and of *Haemaphysalis (Rhipistoma) leachi* (Audouin, 1826) (Ixodida, Ixodidae)—D.A. APANASKEVICH, I.G. HORAK & J-L. CAMICAS 181–208

Kenya

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

Krimpsiekte

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

Mastitis

Withdrawal periods and tissue tolerance after intramammary antibiotic treatment of dairy goats with clinical mastitis—J. KARZIS, E.F. DONKIN & I.M. PETZER 281–288

Midges

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

Mozambique

African swine fever in Mozambique: Review, risk factors and considerations for control—M-L. PENRITH, C. LOPES PEREIRA, M.M.R. LOPES DA SILVA, C. QUEMBO, A. NHAMUSSO & J. BANZE 149–160

Mycoplasma mycoides

Clinical, humoral and IFN-γ responses of cattle to infection with *Mycoplasma mycoides* var. *mycoides* small colony and attempts to condition the pathogenesis of the infection—M. SCACCHIA, F. SACCHINI, G. FILIPPONI, M. LUCIANI, R. LELLI, G. TJIPURA-ZAIRE, A. DI PROVVIDO, A. SHININGWANE, F. NDIIPANDA, A. PINI, V. CAPORALE & O.J.B. HÜBSCHLE 251–263

Nematoda

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

North American lineage

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

Numididae/Numida meleagris

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Oochoristica truncata

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Ostrich

Ultrastructural features of the uterus in the sexually immature ostrich *(Struthio camelus)* during periods of ovarian inactivity and activity—M-C. MADEKUROZWA 209–216

Oxyuroidea

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Parapharyngodon baueri

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Rabbits

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

Rats

Studies on the toxicity of an aqueous extract of the leaves of *Abrus precatorius* in rats—A.A. ADEDAPO, O.A. OMOLOYE & O.G. OHORE 31–36

Rhipicephalus

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

Sheep

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

A potential krimpsiekte vaccine—C.J. BOTHA, J.E. CRAFFORD, V.P. BUTLER Jr, M.N. STOJANOVIC & L. LABUSCHAGNE 307–314

Siphonostomatoida

New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

Sleeping sickness

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

Somatic Cell Counts

The influence of intramammary antibiotic treatment, presence of bacteria, stage of lactation and parity in dairy goats as measured by the California Milk Cell Test and Somatic Cell Counts—J. KARZIS, E.F. DONKIN & I.M. PETZER .. 161–167

South Africa

Ticks (Acari: Ixodidae) collected from animals in three western, semi-arid nature reserves in South Africa—H. GOLEZARDY & I.G. HORAK 81–85

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Comparative descriptions of the pupae of five species of the *Culicoides imicola* complex (Diptera, Ceratopogonidae) from South Africa—HILDA NEVILL, G.J. VENTER, R. MEISWINKEL & E.M. NEVILL 97–114

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

New host and geographical records of siphonostomatoid copepods associated with elasmobranchs off the KwaZulu-Natal coast, South Africa—SUSAN M. DIPPENAAR & BEA P. JORDAAN 169–175

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

Culicoides biting midges at the National Zoological Gardens of South Africa—K. LABUSCHAGNE, L.J. GERBER, I. ESPIE & S. CARPENTER 343–347

Sporozoites

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Squamata: Scincidae

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Struthio camelus

Ultrastructural features of the uterus in the sexually immature ostrich *(Struthio camelus)* during periods of ovarian inactivity and activity—M-C. MADEKUROZWA 209–216

Sudan

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

Sylvatic hydatidosis

The prevalence, organ distribution and fertility of cystic echinoccosis in feral pigs in tropical North Queensland, Australia—D. LIDETU & G.W. HUTCHINSON 73–79

Syncerus caffer

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Tanzania

Prevalence and determinants of *Cryptosporidium* spp. infection in smallholder dairy cattle in Iringa and Tanga Regions of Tanzania—E.S. SWAI, N.P. FRENCH, E.D. KARIMURIBO, J.L. FITZPATRICK, M.J. BRYANT, D.M. KAMBARAGE & N.H. OGDEN 23–29

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theile-

riosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

Taurotragus oryx

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Tetrameres numida

Tetrameres numida n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa—K. JUNKER & J. BOOMKER 115–128

Theileria

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Katete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

Thubunaea fitzsimonsi

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Tick-borne diseases

Climate change and the genus *Rhipicephalus* (Acari: Ixodidae) in Africa—J.M. OLWOCH, A.S. VAN JAARSVELD, C.H. SCHOLTZ & I.G. HORAK 45–72

Influence of dipping practices on the seroprevalence of babesiosis and anaplasmosis in the foot-and-mouth disease buffer zone adjoining the Kruger National Park in South Africa—K.B. STEVENS, A.M. SPICKETT, W. VOSLOO, D.U. PFEIFFER, E. DYASON & B. DU PLESSIS 87–95

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

Ticks

Goats as alternative hosts of cattle ticks—N. NYANGIWE & I.G. HORAK 1–7

Ticks (Acari: Ixodidae) collected from animals in three western, semi-arid nature reserves in South Africa—H. GOLEZARDY & I.G. HORAK 81–85

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Distribution and population dynamics of ticks (Acari: Ixodidae) infesting sheep in Sennar State, Sudan—M.S. MOHAMMED & S.M. HASSAN 301–306

Trematodes

Helminths of guineafowls in Limpopo Province, South Africa—K. JUNKER & J. BOOMKER 265–280

A check list of the helminths of guineafowls (Numididae) and a host list of these parasites—K. JUNKER & J. BOOMKER 315–337

Trypanosoma

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

Preliminary application and evaluation of loop-mediated isothermal amplification (LAMP) for detection of bovine theileriosis and trypanosomosis in Tanzania—O.M.M. THEKISOE, J.D. OMOLO, E.S. SWAI, K. HAYASHIDA, J. ZHANG, C. SUGIMOTO & N. INOUE 339–342

Typhlosaurus lineatus

A new species of *Parapharyngodon* (Nematoda: Pharyngodonidae) and other helminths in *Typhlosaurus lineatus* (Squamata: Scincidae), from southern Africa—C.R. BURSEY & S.R. GOLDBERG 143–147

Uganda

Occurrence of multiple drug resistance in *Trypanosoma brucei rhodesiense* isolated from sleeping sickness patients—J.M. KAGIRA & N. MAINA 17–22

Wildlife

Ticks (Acari: Ixodidae) collected from animals in three western, semi-arid nature reserves in South Africa—H. GOLEZARDY & I.G. HORAK 81–85

Detection of a North American lineage H5 avian influenza virus in a South African wild duck—C. ABOLNIK 177–180

Ticks associated with the three largest wild ruminant species in southern Africa—I.G. HORAK, H. GOLEZARDY & A.C. UYS 231–242

Zambia

Comparison of the survival on ice of thawed *Theileria parva* sporozoites of different stocks cryoprotected by glycerol or sucrose—V. MBAO, D. BERKVENS, P. DORNY, P. VAN DEN BOSSCHE & T. MARCOTTY 9–15

Red blood cell volume as a predictor of fatal reactions in cattle infected with *Theileria parva* Kaʻete—P. FANDAMU, T. MARCOTTY, J.R.A. BRANDT, L. DUCHATEAU, N. SPEYBROECK, T.T. DOLAN & D. BERKVENS 37–43

Age prevalence of trypanosomal infections in female *Glossina morsitans morsitans* (Diptera: Glossinidae) on the plateau area of eastern Zambia—C. KUBI, M. BILLIOUW & P. VAN DEN BOSSCHE 223–229

Zimbabwe

Epidemiological studies of parasitic gastrointestinal nematodes, cestodes and coccidia infections in cattle in the highveld and lowveld communal grazing areas of Zimbabwe—D.M. PFUKENYI, S. MUKARATIRWA, A.L. WILLINGHAM & J. MONRAD 129–142